

Wenger


AcoustiCabinets®

- · Variety of styles tailored to different storage needs
- Wall panels are 3/4" (19 mm) thick industrial grade composite wood with no added formaldehyde and polyester laminate finish in Wenger standard colors
- Patented shelves are blow-molded polyethylene mounted with self-lock shelf supports
- · Grooved shelves allow air to circulate
- Acoustically absorptive material at the back of the AcoustiCabinet helps eliminate direct sound reflection while absorbing high and low frequencies
- Acoustical performance, one-third Octave Band Center Frequency, Hz, for four 27-1/2" w x 21-3/4" d x 85-5/8" h (699 x 553 x 2175 mm) in compliance with testing standards defined by ASTM C423-02a and E795-05 when installed as recommended
- Waterfall design on grille doors provide a distinctive look, minimize cubic volume loss and reduce vibration
- Doors include heavy-duty 5-knuckle institutional ANSI/BHMA A156.9, Grade 1 hinge, through-bolted to cabinet wall
- · Locking slide bolt with strike plate designed for padlocks with 3/4" (19 mm) maximum vertical shackle clearance
- Edging is 1/8" (3 mm) radiused PVC
- · Cabinets have four or five adjustable steel leveling glides for uneven floors
- · Ventilation in casework for circulation help dissipate moisture and aid air circulation
- End panel covers are required in installations where closures are not used They are provided in the matching polyester laminate finish and included with the order
- Assembly required for all cabinets wider than 28" (711 mm)
- UL GREENGUARD Certified Product certified for low chemical emissions: ul.com/gg - UL 2818
- Environmental attributes and LEED compliance for these products can be found at www.wengercorp.com/GREEN or by contacting your Wenger representative
- Ten-year warranty
- Patent Number: 7,921,960











Standard compartment sizes.

Cabinets are shown without doors and 38" height cabinets are shown without work surface tops.



Standard compartment sizes.

Cabinets are shown without doors and 38" height cabinets are shown without work surface tops.



Standard compartment sizes.

Cabinets are shown without doors and 38" height cabinets are shown without work surface tops.

*Narrow width sizes do not fit trombones. Wider tenor saxophone cases may not fit in #5, #7, #24, #28, #55 and #61 narrow compartment sizes.

NOTE: AcoustiCabinets are only available with compartment "Waterfall" design grille doors. Work surface tops must be specified at time of order for 38" high cabinets.

NOTE: Recommended installation is 2-1/2" (64 mm) from the back wall. Add 2-1/2" (64 mm) to cabinet depth for installed depth.





© 2019 Wenger Corporation USA/2019-07/W



MUSIC EDUCATION AND PERFORMING ARTS

Owatonna Office: Phone 800.4WENGER (493-6437) Worldwide +1.507.455.4100 | Parts & Service 800.887.7145 | Canada Office 800.268.0148 | wengercorp.com

555 Park Drive, PO Box 448 | Owatonna | MN 55060-0448

Syracuse Office: Phone 800.836.1885 Worldwide +1.315.451.3440 | jrclancy.com | 7041 Interstate Island Road | Syracuse | NY 13209-9713

ATHLETICS Phone 800.493.6437 | email gearboss@wengercorp.com | gearboss.com | 555 Park Drive, PO Box 448 | Owatonna | MN 55060-0448